
ARTICLE INFO

AUTHOR'S AFFILIATIONS

Department of Public Health, School of Medicine, Universitas Ciputra Surabaya, Surabaya, Indonesia¹
 Ophthalmology Department, School of Medicine, Ciputra University Surabaya²
 School of medicine, Universitas Ciputra Surabaya³

CORRESPONDING

AUTHOR

Hanna Tabita Hasianna Silitonga
 Department of Public Health, School of Medicine, Universitas Ciputra Surabaya, Surabaya, Indonesia

E-mail:

hanna.silitonga@ciputra.ac.id

Article history

Received 21-06-2023
 Revised 25-07-2023
 Accepted 16-09-2023
 Available online 30-09-2023

Please cite this article in APA 7th edition style as:

Wartiningih, M., Silitonga, H. T. H., Tandean, V. S., Messakh, G. B., Dion, A., & Wiraputri, F. A. (2023). Analysis of Screen Time for Online Gaming and Screening Children's Visual Acuity in the Pandemic Era. *Jurnal Ilmiah Kedokteran Wijaya Kusuma*, 12(2), 99-106, <http://dx.doi.org/10.30742/jikw.v12i2.2833>

Analysis of Screen Time for Online Gaming and Screening Children's Visual Acuity in the Pandemic Era

Minarni Wartiningih¹, Hanna Tabita Hasianna Silitonga^{1}, Victor Setiawan Tandean², Gusto Benyamin Messakh³, Aldy Dion³, Firda Aulia Wiraputri³*

Abstract

One of the causes of pediatric eye vision problems in the pandemic era is the increased use of digital screen devices to play online games. This is due to an increase in accommodation and convergence in the eyes when doing activities through digital screen devices at close range. The purpose of this study was to determine the relationship between screen time duration and visual acuity in children aged 9-12 years in the Kalongan and Sidokerto Malang areas during the Pandemic era. This research is a descriptive observational quantitative research with a cross-sectional research design. The research sample was 62 children with a saturated sampling method or a number of population members. The research was conducted in the community of school-age children in the Kalongan and Sidokerto Malang areas. The data used in this study were primary data giving questionnaires to children through parents and checking children's visual acuity. The analysis method used in this research is a univariate and bivariate analysis using the chi-square test. Based on the results of the study, the majority of respondents play online games. Some respondents experienced decreased visual acuity. There is a correlation between the duration of playing online games and the visual acuity of the right and left eyes. Children who play online games for longer periods of time (more than 2 hours) are more likely to experience decreased visual acuity than children who play online games for less than 2 hours or do not play online games.

Keywords: children, game online, screen time, visual acuity

Original Research Article

INTRODUCTION

The Covid-19 pandemic has caused significant changes, one of which is in the field of education. UNESCO (2020) noted that as many as 673,114,704 students have been affected by education (Lase et al., 2022). The shift from face-to-face learning to online learning has led to an increase in children's layer-based activities or *screen time* at home. Screen time is considered as the time spent by children on screen-based activities such as gadgets/smartphones, laptops, computers, televisions, and others, either actively (e.g., online learning, communication, playing games), or passively (e.g., watching television) (Toombs et al., 2022)

A survey of parents in Canada conducted during the Covid-19 pandemic in 2020 showed that the time children spent watching screen content and playing video games increased significantly from 2.6 hours/day (before the pandemic) to 5.9 hours/day (during the pandemic)(Cheung et al., 2022). In addition, a study conducted in the United States also reported that the time children spent both actively and passively using digital screen devices (outside of online learning activities) has increased during the Covid-19 pandemic, ranging from 0.75 hours to 6.5 hours/day (Toombs et al., 2022). Based on guidelines from the American Academy of Pediatrics (AAP), the Canadian Association of Optometrists (CAO), and the Australian National Physical Activity and Sedentary Guidelines, the safe screen-based activity time limit for school-aged children (5-18 years) is a maximum of 2 hours/day. (American Academy of Pediatrics, 2016; Australian Parents Council, 2016; Canadian Association of Optometrists, 2017).

Based on research conducted by Çakiroglu et al. (2021), online gaming is one of the choices of children to spend activities during the pandemic. This study shows that there is an increase in the duration of playing online games during the pandemic compared to before the pandemic. Children can spend up to 40 hours a week playing online games (Çakiroglu et al., 2021). On the other hand, playing interactive online games can provide space for children to socialize during the pandemic, for example through video games (Mckinty & Hazleton, 2022). However, an uncontrolled increase in the duration of online gaming can cause various serious problems in children (De Pasquale et al., 2021).

Increased screen-based activity time in children that exceeds normal limits has been associated with various health problems, one of which is impaired visual acuity in children's eyes (Wong et al., 2020); (Liu et al., 2021); (Aslan & Sahinoglu-Keskek, 2022); (Munsamy et al., 2022). Visual impairment in children's eyes due to the use of digital screen devices during the Covid-19 pandemic digital screen devices used (Aslan & Sahinoglu-Keskek, 2022; Munsamy et al., 2022). One of visual acuity disorders is myopia. The origin and development of myopia have been studied for many years. According to previous studies, myopia is now considered to be a complex condition influenced by both genetics and environment (Mohan et al., 1985). The prevalence of myopia is known to be higher in school-age children and educated individuals, and lower in illiterate populations (Taylor, 1981; Hepsen et al., 2001). According to WHO, visual impairment is classified into several categories, namely mild visual impairment with vision $\geq 6/18$, moderate visual impairment with vision less than $6/18 - 6/60$, severe visual impairment less than $3/60 - 3/6$, blindness with vision less than $3/60$ to no light perception, and unqualified visual impairment. The cause of this decrease in vision is due to an increase in accommodation and convergence in the eye when doing activities with digital screen devices at a close distance. As a result of the accommodation, the refractive power of the lens increases so that points that are closer to the eye are refracted to fall on the retina (Hepsen et al., 2001)

Based on research conducted by Rodrigues Junior et. al. (2017) and Teng et al. (2021), children who have visual impairment can be observed through behavior at home and at school. They will complain about the visual disturbances they feel, such as eye fatigue and even blurred vision. The result of this visual impairment is hampered school activities and social interactions, visual discomfort, and creates feelings of inferiority in relation to other healthy children (Rodrigues Junior et al., 2017; Teng et al., 2021).

Based on the explanation above, it can be seen that the increase in time spent on activities using digital screen devices (screen-based activity or screen time) during the pandemic can cause visual impairment in the eyes for a long time and this can have a worse impact if not immediately addressed. Therefore, the purpose of this study is to determine the relationship between screen time duration of playing online games and decreased vision in children aged 9-12 years in Kalongan and Sidokerto Sub-districts of Malang during the pandemic era. Research related to screen time duration playing online games and vision is the first time conducted at this location. It is hoped that after this research, prevention of worse impacts due to playing online games can be done.

MATERIALS AND METHODS

This type of research is descriptive observational quantitative research with a cross sectional research design conducted from November 2022 to January 2023. The research location was carried out in Kalongan and Sidokerto Districts, Malang Regency. The research sample was 60 children with a saturated sampling method or as many as population members. The inclusion criteria for this study were students aged 9 to 12 years and willing to participate in the study until completion. The exclusion criteria for this research respondents are students who are less or more than the specified age. Primary data collection was done with a questionnaire instrument and visual acuity examination through the Snellen chart. The questionnaire used in this study is a questionnaire that has been modified from previous researchers' questionnaires. This questionnaire has been tested for validity and reliability. Researchers gave questionnaires related to the duration of screen time to children aged 9-12 years in the Kalongan and Sidokerto areas through their parents. Before the questionnaire was administered, the researcher gave informed consent to the parents or guardians. The researcher explained to parents or guardians and children regarding the purpose and procedures of the study. After agreeing and filling out the informed consent sheet, the respondent's parents or guardians filled out the questionnaire. After being given a questionnaire, the child will undergo a visual acuity examination using the Snellen chart. Researchers then provide education about eye health.

The management of the data obtained includes screen-based activity questionnaire data and visual examination data that have been classified into mild, moderate, and severe visual acuity decline. Then processed with Excel and SPSS. The univariate analysis resulted in profiles and percentages while bivariate analysis was used to see the relationship between screen-based activities and decreased vision in school-age children using the Chi-Square test. This research has passed the Health Research Ethics Committee Test of the Faculty of Medicine, Universitas Muhammadiyah Malang with Ethics No. E.5.a/046/KEPK-UMM/III/2023.

RESULT

Table 1. Distribution of respondents based on gender

Gender	Frequency (n)	Percentage (%)
Men	31	51.7
Women	29	48.3
Total	60	100

The results on Table 1 showed that there were 31 (51.7%) men respondents, 29 (48.3%) respondents. Most of the media used by respondents in the form of cellphones by 95%.

Table 2. Distribution of respondents based on criteria for playing online games

Criteria for playing <i>online games</i>	Frequency (n)	Percentage (%)
Play <i>online games</i>	43	71.7
Don't play <i>online games</i>	17	28.3
Total	60	100

Based on Tabel 2, all respondents were asked questions about online gaming. It was found that 43 (71.7%) respondents stated that they had played online games and only 17 (28.3%) respondents did not play online games.

Table 3. Distribution of respondents based on visual inspection results

Vision Criteria	Oculus Dextra (OD)		Oculus Sinistra (OS)	
	Frequency (n)	Percentage (%)	Frequency (n)	Percentage (%)
Normal	43	71.7	45	75.0
Mild	6	10.0	5	8.4
Medium	9	15.0	8	13.3
Severe	2	3.3	2	3.3
Total	60	100	60	100

Based on Tabel 3, the vision examination found that 43 (71.7%) respondents had normal right eye vision. Some respondents experienced a decrease in right eye vision which varied, namely a mild decrease in right eye vision of 10.0%, moderate 15.0%, and severe 3.3%. In the left eye vision examination, 75.0% of the respondents had normal left eye vision. While students who experienced a mild decrease in left eye vision amounted to 8.4%, as many as 13.3% experienced a decrease in moderate vision, and 3.3% experienced a decrease in severe vision.

Table 4. Distribution of respondents based on left eye vision examination results

Duration Of Playing Online Games	Left Eye Vision				P-Value
	Normal		Reduced Eye Vision		
	n	%	n	%	
<2 hours	27	60%	2	13.3%	<.05
>2 hours	18	40%	13	86.7%	
Total	45	100%	15	100%	

Based on Table 4, Visual examination results showed that 2 (13.3%) children had decreased left eye vision who had screen-based activity duration < 2 hours while 13 (86.7%) children with screen-based activity duration > 2 hours had decreased left eye vision. Based on statistical tests, there was a significant relationship between screen-based activity duration and decreased vision in the left eye.

Based on Table 5, Examination of right eye vision showed that there were 3 (7.7%) children who had decreased right eye vision with screen-based activity duration < 2 hours, but 14 (92.3%) children with screen-based activity duration > 2 hours had decreased right eye vision. Based on the statistical tests conducted, there was a correlation between the duration of screen-based activities and decreased vision in the right eye.

Table 5. Distribution of respondents based on the results of the right eye visus examination

Duration Of Playing Online Games	Right Eye Vision				P-Value
	Normal		Reduced Eye Vision		
	N	%	N	%	
<2 hours	30	69.8%	3	7.7%	<0.05
>2 hours	13	30.2%	14	92.3%	
Total	43	100%	17	100%	

DISCUSSION

The results showed that the respondents were predominantly male (51.7%). This is supported by population data for Malang Regency in 2019 which states that the total population aged 5-14 years in this Regency is 418,336 people, with a male population of 213,227 people and a women population of 205,109 people (Badan Pusat Statistik, 2020). This data shows that the male population outnumbers the women population. Due to the larger male population, the behavior or activity of using digital screen devices (screen-based activity) is also expected to occur more in male groups. Various studies have reported that screen-based activities with high frequency and duration are more prevalent in male (Mullan, 2018; Mullan & Hofferth, 2022; Braig et al., 2018; Thomas et al., 2019; Tripathi & Mishra, 2020; Tripathi & Mishra, 2020; Soltero et al., 2021; Dahlgren et al., 2021).

The pandemic has affected habits in many ways. The choice of activities in spending time is one of the things that is affected by this pandemic. The habit of doing activities outdoors has turned into all indoors. The habit of children playing outdoors has also become limited due to covid-19. Playing online games is one of the choices for children during the pandemic (Alsaad et al., 2021). The habit of playing online games during quarantine in the pandemic era continued until the new normal period. Based on the results of the study, 71.7% of respondents stated that they had played online games, while 28.3% of respondents did not play online games. This shows that the majority of respondents or children in Kalongan and Sidokerto Districts do activities in front of the screen by playing games. In line with Susanti's research in 2018, based on NPD Group data (2014) shows that children aged 2-12 years spend an average of ≥ 2 hours playing games online. (Susanti et al., 2018) . This is reinforced by the results of research from Harahap in 2021, it was found that elementary school students who played low-intensity online games were 20%, the moderate intensity was 40% and high intensity 40%. (Harahap & Ramadan, 2021).

Based on the results of the visual impairment examination, it was found that most respondents had a normal right-eye vision, namely 43 (71.7%) respondents. Some respondents experienced a decrease in right eye vision which varied, namely a mild decrease in right eye vision of 10.0%, 15.0%, and 3.3%. In the left eye vision examination, 75.0% of the respondents had normal left eye vision. Meanwhile, students who experienced a mild decrease in left eye vision amounted to 8.4%. Playing online games has a positive impact on mental well-being because playing online games can reduce anxiety and stress during the pandemic. In addition, playing online games can also increase opportunities to socialize through video games (Barr & Copeland-Stewart, 2022).

Based on the results of the analysis, 2 (13.3%) children with decreased left eye vision had screen-based activity duration of fewer than 2 hours while 13 (86.7%) children with screen-based activity duration of more than 2 hours had decreased left eye vision. Based on statistical tests, a significant relationship was found between the duration of screen-based activities and decreased vision in the left eye.

Examination of right eye vision showed that 3 (7.7%) children with screen-based activity duration of fewer than 2 hours had decreased right eye vision, but 14 (92.3%) children with screen-based activity duration of more than 2 hours had decreased right eye vision. Based on the statistical tests conducted, a correlation was found between the duration of screen-based activities and decreased vision in the right eye.

Mu'awanah et al. research in 2020 with the title "Early Detection of Decreased Visual Acuity in Elementary School-Age Children", found that of the 85 children whose vision was examined using the Snellen chart, 3.5% of children had severe visual impairment, 3.5% had moderate visual impairment. 16.5% had mild vision impairment and 75.3% of children had normal vision (Mu'awanah et al., 2020)). Another study from Gama in 2019 also stated that 88.9% of children had normal vision while children with severe, moderate and mild visual impairment were 0.7%, 5.6% and 2.1% respectively.

As children have come to rely on technology for social interaction and academic growth, the increase in screen time in children to playing game online has become a public health concern. This

has received a lot of attention from the eye health community in recent literature, calling it "digital eye strain". Activity with digital devices and lack of outdoor playtime, contribute to the current occurrence of myopia (Munsamy et al., 2022). Based on previous research, decreased vision in children can interfere with their activities due to screen-based activities (Rudhiati et al., 2015). Supervision of children's activities needs to be carried out by parents so as not to worsen the child's health condition which can have an impact on the continuity of their activities. Parents should provide alternative activities for children other than playing online games or control children's use of online games (Han et al., 2022). In children who have experienced eye health problems, it is important for parents to immediately make decisions regarding health services for their children (Supriyanto et al., 2023).

CONCLUSION

Based on the results of the study, it can be concluded that there is a correlation between the duration of playing online games and visual acuity of the right and left eyes. Children who play online games for longer periods of time (>2 hours) are more likely to experience decreased visual acuity than children who play online games for less than 2 hours or do not play online games. Suggestions that can be given by researchers are that parents and students should be given counseling on how to maintain eye health and conduct home visits to children with severe vision loss. In this case, parents are advised to provide care to children about the rules for the duration of playing online games and how to maintain eye health. How to maintain eye health is by avoiding staring at a computer or smartphone screen for too long. When staring at a computer or smartphone screen, rest your eyes after staring at the device layer for 20 minutes by turning your eyes for 20 seconds by looking at an object 20 meters away. In addition, maintaining eye health can also be done by eating foods that contain vitamin A, vitamin C, lutein, selenium, and omega-3 fatty acids and having regular eye examinations.

CONFLICT OF INTEREST

All authors declare that there is no conflict of interest in this study.

ACKNOWLEDGEMENT

The researcher would like to thank the parties involved, namely all village officials, school principals and all residents in the Kalongan and Sidokerto areas who have contributed a lot to this research.

REFERENCE

- Alsaad, A., Alabdulmuhsin, F., Alamer, Z., Alhammad, Z., Al-Jamaan, K., & Al-sultan, Y. (2021). Impact of the COVID-19 pandemic quarantine on gaming behavior among children and adolescents in the Eastern Province of Saudi Arabia. *International Journal of Medicine in Developing Countries*, 5(January), 1007–1014. <https://doi.org/10.24911/ijmdc.51-1610894250>
- American Academy of Pediatrics. (2016). *New Recommendations for Childrens Media Use*.
- Aslan, F., & Sahinoglu-Keskek, N. (2022). The effect of home education on myopia progression in children during the COVID-19 pandemic. *Eye (Basingstoke)*, 36(7), 1427–1432. <https://doi.org/10.1038/s41433-021-01655-2>
- Australian Parents Council. (2016). *Screentime*.
- Badan Pusat Statistik. (2020). *Kabupaten Malang dalam Angka*.
- Barr, M., & Copeland-Stewart, A. (2022). Playing Video Games During the COVID-19 Pandemic and Effects on Players' Well-Being. *Games and Culture*, 17(1), 122–139. <https://doi.org/10.1177/15554120211017036>
- Braig, S., Id, J. G., Walter, V., Brandt, S., Wabitsch, M., Goldbeck, L., Brenner, H., & Rothenbacher, D. (2018). Screen Time, Physical Activity and Self-Esteem in Children: The Ulm Birth Cohort Study. *International Journal of Environmental Research and Public Health*, 15(6), 1–12. <https://doi.org/10.3390/ijerph15061275>

- Çakiroglu, S., Soylu, N., & Görmez, V. (2021). Re-evaluating the Digital Gaming Profiles of Children and Adolescents during the COVID-19 Pandemic: A Comparative Analysis Comprising 2 Years of Pre-Pandemic Data. *Addicta: The Turkish Journal on Addictions*, 8(1), 51–57. <https://doi.org/10.5152/ADDICTA.2021.21019>
- Canadian Association of Optometrists. (2017). *AOA CPG Pediatric Eye and Vision Examination*.
- Cheung, M. C., Yip, J., & Cheung, J. P. Y. (2022). Influence of Screen Time during COVID-19 on Health-Related Quality of Life of Early Adolescents. *International Journal of Environmental Research and Public Health*, 19(17). <https://doi.org/10.3390/ijerph191710498>
- Dahlgren, A., Sjo, L., Eke, H., Bonn, S. E., & Trolle, Y. (2021). Screen time and physical activity in children and adolescents aged 10 – 15 years. *Plos One*, 16(7), 1–14. <https://doi.org/10.1371/journal.pone.0254255>
- De Pasquale, C., Chiappedi, M., Sciacca, F., Martinelli, V., & Hichy, Z. (2021). Online videogames use and anxiety in children during the COVID-19 pandemic. *Children*, 8(3), 1–8. <https://doi.org/10.3390/children8030205>
- Han, T., Cho, H., Sung, D., & Park, M. (2022). A systematic review of the impact of COVID- on the game addiction of children and adolescents. *Front. Psychiatry*, 13, 1–1–9. <https://doi.org/https://doi.org/10.3389/fpsy.2022.976601>
- Harahap, S. H., & Ramadan, Z. H. (2021). Dampak Game Online Free Fire Terhadap Hasil Belajar Siswa Sekolah Dasar. *Jurnal Basicedu*, 5(3), 1304–1311.
- Hepsen, I. F., Evreklioglu, C., & Bayramlar, H. (2001). The effect of reading and near-work on the development of myopia in emmetropic boys: A prospective, controlled, three-year follow-up study. *Vision Research*, 41(19), 2511–2520. [https://doi.org/10.1016/S0042-6989\(01\)00135-3](https://doi.org/10.1016/S0042-6989(01)00135-3)
- Lase, D., Zega, T. G. C., Daeli, D. O., & Zaluchu, S. E. (2022). Parents’ perceptions of distance learning during COVID-19 in rural Indonesia. *Journal of Education and Learning (EduLearn)*, 16(1), 103–113. <https://doi.org/10.11591/edulearn.v16i1.20122>
- Liu, J., Li, B., Chen, Q., & Dang, J. (2021). Student health implications of school closures during the covid-19 pandemic: New evidence on the association of e-learning, outdoor exercise, and myopia. *Healthcare (Switzerland)*, 9(5), 1–9. <https://doi.org/10.3390/healthcare9050500>
- Mckinty, J., & Hazleton, R. (2022). The Pandemic Play Project - documenting kids ’ culture during COVID-19 , *International Journal of Play (2022) The Pandemic Play Project : documenting kids ’ culture during COVID-19. E International Journal of Play*, 11(1). <https://doi.org/https://doi.org/10.1080/21594937.2022.2042940>
- Mohan, M., Pakrasi, S., & Garg, S. (1985). The role of environmental factors and hereditary predisposition in the causation of low myopia. *Acta Ophthalmol Suppl*, 185, 54–57. <https://doi.org/10.1111/j.1755-3768.1988.tb02663.x>
- Mu’awanah, Purnomo, H., Mudhofar, M. N. & Normawati, A T. (2020). Deteksi Dini Penurunan Tajam Penglihatan Pada Anak Usia Sekolah Dasar. *Link*, 16(2), 149–153. <https://doi.org/10.31983/link.v16i2.6459>
- Mullan, K. (2018). Technology and children’s screen-based activities in the UK: The story of the millennium so far. *Child Indicators Research*, 11(6), 1781–1800. <https://doi.org/https://doi.org/10.1007/s12187-017-9509-0>
- Mullan, K., & Hofferth, S. L. (2022). A Comparative Time-Diary Analysis of UK and US Children ’ s Screen Time and Device Use. *Child Indicators Research*, 15, 795–818. <https://doi.org/10.1007/s12187-021-09884-3>
- Munsamy, A. J., Chetty, V., & Ramlall, S. (2022). Screen-based behaviour in children is more than meets the eye. *South African Family Practice*, 64(1), 1–4. <https://doi.org/10.4102/safp.v64i1.5374>
- Munsamy, A. J., Moodley, M., Khan, Z., Govender, K., Nkwanyana, M., Cele, S., & Radebe, M. (2022). Evidence on the effects of digital blue light on the eye: A scoping review. *African Vision and Eye Health*, 81(1), 1–9. <https://doi.org/10.4102/aveh.v81i1.685>

- Rodrigues Junior, J. C., Rebouças, C. B. de A., Castro, R. C. M. B., de Oliveira, P. M. P., de Almeida, P. C., & Pagliuca, L. M. F. (2017). Development of an educational video for the promotion of eye health in school children. *Texto e Contexto Enfermagem*, 26(2), 1–11. <https://doi.org/10.1590/0104-07072017006760015>
- Rudhiati, F., Apriany, D., & Hardianti, N. (2015). Hubungan Durasi Bermain Video Game Dengan Ketajaman Penglihatan Anak Usia Sekolah. *Jurnal Skolastik Keperawatan*, 1(2), 12–17. <https://doi.org/10.35974/jsk.v1i2.83>
- Soltero, E. G., Alejandra, J., Hernandez, E., Edtna, J., López-taylor, J. R., Ortiz-hern, L., Lucie, L., & Lee, R. E. (2021). Associations between Screen-Based Activities , Physical Activity , and Dietary Habits in Mexican Schoolchildren. *International Journal of Environmental Research and Public Health*, 18(13), 1–10. <https://doi.org/10.3390/ijerph18136788>
- Supriyanto, S., Wartiningih, M., Kodrat, D. S., & Djuari, L. (2023). *Administrasi Rumah Sakit*. Zifatama Jawa.
- Susanti, M. M., Widodo, W. U., & Safitri, D. I. (2018). Hubungan Kecanduan Bermain Game Online Pada Smartphone (Mobile Online Games) Dengan Pola Makan Anak Sekolah Dasar Kelas 5 dan 6 di SD Negeri 4 Purwodadi. *The Shine Cahaya Dunia Ners*, 3(2), 28–39. <https://doi.org/http://doi.org/10.35720/tscnners.v3i2.122>
- Taylor, H. (1981). Racial variations in vision. *Am J Epidemiol*, 113(1), 62–80. <https://doi.org/10.1093/oxfordjournals.aje.a113067>
- Teng, Z., Pontes, H. M., Nie, Q., Griffiths, M. D., & Guo, C. (2021). Depression and anxiety symptoms associated with internet gaming disorder before and during the COVID-19 pandemic: A longitudinal study. *Journal of Behavioral Addictions*, 10(1), 169–180. <https://doi.org/10.1556/2006.2021.00016>
- Thomas, G., Benni, J., De Cocker, K., C, O., & B, S. (2019). A Descriptive Epidemiology of Screen-Based Devices by Children and Adolescents: a Scoping Review of 130 Surveillance Studies Since 2000. *Child Indicators Research*, 13(3), 935–950. <https://doi.org//doi.org/10.1007/s12187-019-09663-1>
- Toombs, E., Mushquash, C. J., Mah, L., Short, K., Young, N. L., Cheng, C., Zhu, L., Strudwick, G., Birken, C., Hopkins, J., Korczak, D. J., Perkhun, A., & Born, K. B. (2022). Increased Screen Time for Children and Youth During the COVID-19 Pandemic. *Science Briefs of the Ontario COVID-19 Science Advisory Table*, 3(59), 1–19. <https://doi.org/https://doi.org/10.47326/ocsat.2022.03.59.1.0>
- Tripathi, M., & SK, M. (2020). Screen time and adiposity among children and adolescents: a systematic review. *Journal of Public Health Research*, 28(3), 227–244. <https://doi.org/https://doi.org/10.1007/s10389-019-01043-x>
- Wong, C. W., Andrew Tsai, Jonas, J. B., Ohno-Matsui, K., Chen, J., Ang, M., & Ting, D. S. W. (2020). Digital Screen Time During the COVID-19 Pandemic: Risk for a Further Myopia Boom. *Journal of Ophthalmology*, 21(1), 333–337. <https://doi.org/https://doi.org/10.1016/j.ajo.2020.07.034>